

## Plant Sale Catalog

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<b>Aquatic Plant</b>								
<i>Alisma subcordatum</i>	Water Plantain	✓		Summer	White	1-3 ft.	Sun	Wet
<i>Justicia americana</i>	water willow	✓		Summer	White/Pink		Sun, Part Shade	Moist, Wet
<i>Nymphaea odorata</i>	Fragrant Water-Lily	✓		Summer	White	1-3 ft.	Sun, Part Shade, Shade	Shallow water
<b>Fern or Lower Plant</b>								
<i>Asplenium platyneuron</i>	Ebony Spleenwort, Fern	✓						
<i>Athyrium filix-femina</i>	Lady Fern	✓		NA	NA	1-3 ft.	Shade	Average
<i>Diplazium pycnocarpon</i>	Glade Fern	✓			NA	1-3 ft.	Part Shade, Shade	Moist
<i>Dryopteris sp.</i>	Wood Fern			NA	NA		Part Shade, Shade	Moist
<i>Onoclea sensibilis</i>	Sensitive Fern	✓		NA	NA	1-3 ft.	Sun	Average, Wet
<i>Osmunda regalis</i>	Royal Fern	✓		NA	NA	1-3 ft.	Part Shade	Wet
<i>Osmundastrum cinnamomeum</i>	Cinnamon	✓		NA	NA	3-6 ft.	Shade	Wet
<i>Polystichum acrostichoides</i>	Christmas	✓		NA	NA	1-3 ft.	Shade	Dry, Average
<i>Pteridium aquilinum</i>	Bracken , Fern	✓		NA	NA		Part Shade, Shade	Dry, Average, Wet
<b>Grass, Sedge or Rush</b>								
<i>Carex pensylvanica</i>	Sedge, Pennsylvania	✓		Spring	Insignificant	0-1 ft.	Part Shade, Shade	Dry, Average
<i>Carex plantaginea</i>	Sedge, plantain; seersucker	✓		Early Spring	Insignificant	0-1 ft.	Shade	Average, Wet
<i>Carex platyphylla</i>	Sedge, broad-leaf	✓		NA	Insignificant	0-1 ft.	Sun, Part Shade	Average
<i>Juncus tenuis</i>	path rush	✓		NA	Insignificant		Sun, Part Shade	Average, Wet

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<b>Herbaceous Plant</b>								
<i>Agastache foeniculum</i>	Hyssop, anise				Blue	3-6 ft.	Part Shade	Average
<i>Anemone acutiloba</i>	Hepatica, sharp lobed	✓		Spring	Blue	0-1 ft.	Part Shade, Shade	Average, Wet
<i>Anemone canadensis</i>	Canada anemone	✓		Late Spring	White	1-3 ft.	Sun, Part Shade, Shade	Dry, Average, Wet
<i>Antennaria neglecta</i>	Pussytoes, field	✓		Spring	White	0-1 ft.	Sun	Dry, Average
<i>Arisaema triphyllum</i>	Jack-in-the-pulpit	✓		Late Spring	Green	1-3 ft.	Part Shade, Shade	Average, Wet
<i>Asarum canadense</i>	Ginger, wild	✓		Spring	Brown	0-1 ft.	Part Shade, Shade	Average, Wet
<i>Asclepias syriaca</i>	Common Milkweed	✓		Summer	Pink	1-3 ft.	Sun	Dry, Average
<i>Boltonia asteroides</i>	Boltonia, aster-like	✓		Late Summer	White	3-6 ft.	Sun	Moist, Wet
<i>Cardamine diphylla</i>	Two-Leaved Toothwort	✓		Late Summer	White	1-3 ft.	Sun, Part Shade	Average
<i>Chrysogonum virginianum</i>	Green-and-gold; Goldenstar	✓		Late Spring	Yellow	0-1 ft.	Sun, Part Shade, Shade	Average
<i>Clinopodium vulgare</i>	Wild Basil			Summer	Purple	1-3 ft.	Sun, Part Shade, Shade	Dry
<i>Conoclinium coelestinum</i>	Mistflower	✓		Late Summer	Blue	1-3 ft.	Sun, Part Shade	Average, Wet
<i>Coreopsis lanceolata</i>	Lance-leafed coreopsis			Late Spring	Yellow		Sun, Part Shade	Dry, Average
<i>Coreopsis verticillata Cultivar</i>	Whorled Coreopsis			Summer	Yellow	1-3 ft.	Sun	Dry, Average
<i>Delphinium exaltatum</i>	Larkspur, tall	✓		Summer	Blue	3-6 ft.	Part Shade	Average
<i>Echinacea purpurea</i>	Purple Coneflower			Summer	Purple	1-3 ft.	Sun	Average
<i>Eryngium yuccifolium</i>	Rattlesnake Master			Summer	White	3-6 ft.	Sun	Dry, Average
<i>Eupatorium perfoliatum</i>	Boneset	✓		Summer	White	3-6 ft.	Sun	Wet
<i>Eupatorium sessilifolium</i>	Upland Boneset	✓		Summer	White	3-6 ft.	Part Shade	Dry
<i>Eurybia divaricata</i>	White Wood Aster	✓		Late Summer	White	1-3 ft.	Part Shade, Shade	Dry, Average
<i>Eutrochium fistulosum</i>	Joe-pye-weed	✓		Summer	Purple	3-6 ft.	Sun, Part Shade	Average, Wet
<i>Fragaria virginiana</i>	Wild Strawberry	✓		Late Spring	White	0-1 ft.	Sun, Part Shade	Dry
<i>Geranium maculatum</i>	Wood Geranium	✓		Spring	Pink	1-3 ft.	Sun, Part Shade, Shade	Average
<i>Goodyera pubescens</i>	Plantain, downy rattlesnake	✓		Late Summer	White	1-3 ft.	Part Shade, Shade	Average
<i>Helenium autumnale</i>	Sneezeweed	✓		Late Summer	Yellow	1-3 ft.	Sun, Part Shade	Average
<i>Helianthus divaricatus</i>	Sunflower, woodland	✓		Late Summer	Yellow	3-6 ft.	Sun, Part Shade	Dry, Average

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Helianthus hirsutus</i>	Hairy Sunflower	✓						
<i>Heliopsis helianthoides</i>	Sunflower, false	✓		Summer	Yellow	3-6 ft.	Sun, Part Shade	Dry, Average
<i>Hibiscus moscheutos</i>	Swamp Rose-mallow	✓		Summer	Pink	3-6 ft.	Sun	Wet
<i>Iris prismatica</i>	Blue flag, slender	✓		Late Spring	Blue	1-3 ft.	Sun	Wet
<i>Iris versicolor</i>	Blue flag, northern	✓		Spring	Blue	1-3 ft.	Sun	Wet
<i>Lespedeza capitata</i>	Dense Blazing-star	✓		Summer	White		Sun	Dry
<i>Liatrix scariosa</i>	Northern Blazing-star	✓		Late Summer	Purple	1-3 ft.	Sun	Average
<i>Liatrix spicata</i>	Dense Blazing-star	✓		Summer	Purple	1-3 ft.	Sun	Average, Wet
<i>Lobelia cardinalis</i>	Cardinal-flower	✓		Summer	Red	1-3 ft.	Sun, Part Shade, Shade	Wet
<i>Lobelia siphilitica</i>	Lobelia, great blue	✓		Summer	Blue	1-3 ft.	Sun, Part Shade, Shade	Average, Wet
<i>Lysimachia ciliata</i>	Fringed Loosestrife	✓		Summer	Yellow	Herbace	Part Shade, Shade	Moist, Wet
<i>Lysimachia lanceolata</i>	Lanceleaf loosestrife	✓		Summer	Yellow	1-3 ft.	Sun	Moist, Wet
<i>Meehania cordata</i>	Meehania, heart-leaved	✓		Summer	Purple	0-1 ft.	Part Shade	Average
<i>Monarda didyma</i>	Bee-balm	✓		Summer	Red	3-6 ft.	Sun	Average
<i>Monarda media</i>	Purple bergamot	✓		Summer	Purple	3-6 ft.	Sun, Part Shade	Average
<i>Oclemena nemoralis</i>	Leafy Bog Aster	✓		Summer	Blue-	Herbace	Sun	Wet
<i>Pachysandra procumbens</i>	Allegheny-spurge			Spring	Pink	0-1 ft.	Part Shade, Shade	Average, Wet
<i>Packera aurea</i>	Golden Ragwort	✓		Spring	Yellow	1-3 ft.	Sun, Part Shade	Average, Wet
<i>Penstemon digitalis</i>	Beard-tongue, foxglove	✓		Summer	White	1-3 ft.	Sun	Dry, Average
<i>Phlox carolina</i>	Phlox			Summer	Pink	1-3 ft.	Sun, Part Shade	Moist, Wet
<i>Phlox divaricata</i>	Wood Phlox	✓		Early Spring	Purple	1-3 ft.	Part Shade, Shade	Average
<i>Phlox maculata</i>	Phlox, meadow	✓		Summer	Purple	1-3 ft.	Sun, Part Shade	Moist
<i>Phlox stolonifera Cultivar</i>	Creeping Phlox			Spring	White,	0-1 ft.	Partial Shade, Shade	Average, Moist
<i>Phlox subulata</i>	Phlox, moss	✓		Spring	Pink	0-1 ft.	Sun	Dry, Average
<i>Phlox subulata Cultivar</i>	Moss Phlox			Spring	Pink	0-1 ft.	Sun	Dry, Average
<i>Physostegia virginiana</i>	Obedient-plant	✓		Summer	White	1-3 ft.	Sun	Dry, Average
<i>Polemonium reptans</i>	Jacob's-ladder, spreading	✓		Spring	Blue	1-3 ft.	Part Shade, Shade	Average
<i>Polygonatum biflorum</i>	Solomon's-seal			Spring	White	1-3 ft.	Part Shade, Shade	Average

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Pycnanthemum incanum</i>	Hoary Mountain Mint	✓		Summer	White	3-6 ft.	Sun	Dry, Average
<i>Pycnanthemum muticum</i>	Short-toothed Mountain Mint	✓		Summer	White	3-6 ft.	Sun	Dry, Average, Wet
<i>Pycnanthemum tenuifolium</i>	Narrow-leaved Mountain Mint	✓		Summer	White	1-3 ft.	Sun, Part Shade	Dry, Average
<i>Pycnanthemum virginianum</i>	Mountain-mint, Virginia	✓		Summer	White	1-3 ft.	Sun, Part Shade	Average
<i>Ranunculus hispidus var.</i>	Bristly Buttercup	✓						
<i>Rudbeckia fulgida var. fulgida</i>	Coneflower, orange	✓		Late Summer	Orange	1-3 ft.	Sun	Dry, Average
<i>Rudbeckia hirta</i>	Black-eyed-Susan	✓		Summer	Yellow	1-3 ft.	Sun	Dry, Average
<i>Ruellia humilis</i>	Petunia, fringed-leaved	✓		Summer	Purple	1-3 ft.	Part Shade	Moist
<i>Sedum ternatum Cultivar</i>	Wild Stonecrop			Spring	White	0-1 ft.	Partial Shade	Average, Moist
<i>Senna hebecarpa</i>	Wild Senna	✓		Summer	Yellow	3-6 ft.	Sun	Dry, Average
<i>Senna marilandica</i>	Senna, Maryland	✓		Summer	Yellow	3-6 ft.	Sun	Dry, Average
<i>Silene caroliniana</i>	Catchfly, sticky; Wild pink	✓		Spring	Pink	0-1 ft.	Sun	Dry, Average
<i>Silphium perfoliatum</i>	Cup-plant	✓		Summer	Yellow	6-12 ft.	Sun	Average
<i>Silphium trifoliatum</i>	Whorled Rosinweed	✓		Summer	Yellow	3-6 ft.	Sun	Average
<i>Solidago flexicaulis</i>	Zig-zag Goldenrod	✓		Late Summer	Yellow	1-3 ft.	Part Shade, Shade	Dry, Average
<i>Solidago nemoralis</i>	Goldenrod, gray	✓		Summer	Yellow	1-3 ft.	Sun, Part Shade, Shade	Dry, Average
<i>Solidago odora</i>	Goldenrod, sweet	✓		Late Summer	Yellow	1-3 ft.	Sun, Part Shade	Dry, Average
<i>Solidago rigida</i>	Goldenrod, stiff	✓		Late Summer	Yellow	3-6 ft.	Sun	Dry, Moist
<i>Stylophorum diphyllum</i>	Wood Poppy	✓		Spring	Yellow	1-3 ft.	Part Shade	Average
<i>Symphotrichum cordifolium</i>	Aster, blue wood	✓		Late Summer	Blue	1-3 ft.	Part Shade, Shade	Dry, Average
<i>Symphotrichum novae-angliae</i>	Aster, New England	✓		Late Summer	Purple	3-6 ft.	Sun	Average, Wet
<i>Symphotrichum puniceum</i>	Purple-Stemmed Aster	✓		Late Summer	Blue	3-6 ft.	Sun	Moist, Wet
<i>Tiarella cordifolia</i>	Foamflower	✓		Spring	White	0-1 ft.	Part Shade, Shade	Moist
<i>Veronicastrum virginicum</i>	Culver's-root	✓		Late Summer	White	3-6 ft.	Sun, Part Shade	Average, Wet
<i>Viola pedata</i>	Violet, birdfoot	✓		Spring	Purple	0-1 ft.	Part Shade	Dry
<i>Waldsteinia fragarioides</i>	Strawberry, barren	✓		Spring	Yellow	0-1 ft.	Part Shade	Average
<i>Zizia aurea</i>	Golden-alexander	✓		Spring	Yellow	1-3 ft.	Sun, Part Shade	Average, Wet

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<b>Vine</b>								
<i>Clematis virginiana</i>	Virgin's bower	✓		Late Summer	White	Vine	Part Shade	Average, Wet
<b>Woody Plant</b>								
<i>Aesculus glabra</i>	Ohio Buckeye	✓		Spring	Yellow-		Sun, Part Shade, Shade	Moist
<i>Alnus serrulata</i>	Hazel Alder	✓		Early Spring	Yellow/Red	12-36 ft.	Sun, Part Shade	Dry, Average, Wet
<i>Aronia arbutifolia</i>	Red Chokeberry	✓		Spring	White	6-12 ft.	Sun	Dry, Average, Wet
<i>Betula alleghaniensis</i>	Yellow Birch	✓		Spring	Insignificant	72-100	Partial Shade, Sun	Average, Wet
<i>Betula nigra</i>	Birch, river	✓		Spring	Green	36-72 ft.	Sun	Average, Wet
<i>Calycanthus floridus</i>	Carolina Allspice; Sweetshrub			Spring	Maroon	6-12 ft.	Sun	Average
<i>Ceanothus americanus</i>	Tea, New Jersey	✓		Summer	White	1-3 ft.	Sun	Dry
<i>Celtis occidentalis</i>	Hackberry	✓		Spring	Green	>100 ft.	Sun, Part Shade	Dry, Average
<i>Cephalanthus occidentalis</i>	Buttonbush	✓		Late Summer	White	6-12 ft.	Sun	Wet
<i>Clethra alnifolia</i>	Pepperbush, sweet	✓		Summer	White	6-12 ft.	Sun, Part Shade	Average, Wet
<i>Comptonia peregrina</i>	Sweet-fern	✓		Spring	Green	3-6 ft.	Sun	Dry, Average
<i>Cornus amomum</i>	Silky dogwood	✓		Early Summer	White	6-12 ft.	Sun, Part Shade	Moist, Wet
<i>Cornus racemosa</i>	Gray Dogwood	✓		Late Spring	White	6-12 ft.	Sun, Part Shade, Shade	Moist
<i>Cornus sericea</i>	Red-Osier Dogwood	✓		Late Spring	White	6-12 ft.	Part Shade	Moist
<i>Diospyros virginiana</i>	Persimmon	✓		Late Spring	White	36-72 ft.	Sun	Average
<i>Hydrangea arborescens</i>	Hydrangea, wild	✓		Summer	White	3-6 ft.	Part Shade, Shade	Average
<i>Ilex glabra Cultivar</i>	Inkberry			Summer			Partial Shade, Sun	Average, Wet
<i>Ilex verticillata Cultivar</i>	Winterberry			Summer	White		Sun, Part Shade	Moist, Wet
<i>Itea virginica</i>	Sweetspire, Virginia	✓		Summer	White	3-6 ft.	Sun, Part Shade	Average
<i>Liriodendron tulipifera</i>	Tuliptree, Yellow Poplar	✓		Early Summer	Yellow	72-100	Sun	Average
<i>Magnolia virginiana</i>	Sweetbay Magnolia	✓		Late Spring	White	12-36 ft.	Sun	Moist, Wet
<i>Morella pensylvanica</i>	Bayberry	✓		Spring	Yellow	6-12 ft.	Sun	Average
<i>Morus rubra</i>	red mulberry	✓		NA	Insignificant	12-36 ft.	Sun, Part Shade	Dry, Average, Wet

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Nyssa sylvatica</i>	Black gum; Tupelo	✓		Spring	White	36-72 ft.	Sun, Part Shade, Shade	Average, Wet
<i>Ostrya virginiana</i>	Hop-hornbeam	✓		Spring	Green	12-36 ft.	Sun, Part Shade	Average
<i>Physocarpus opulifolius</i>	Ninebark	✓		Late Spring	White	6-12 ft.	Sun, Part Shade	Dry, Average
<i>Pinus rigida</i>	Pitch Pine	✓		Spring	NA	Woody	Sun	Dry
<i>Platanus occidentalis</i>	Sycamore	✓		Spring	Green	72-100	Sun	Average, Wet
<i>Populus deltoides</i>	Eastern Cottonwood	✓		Early Spring	Yellow		Sun, Part Shade, Shade	Dry, Moist, Wet
<i>Rhus aromatica var. aromatica</i>	Sumac, fragrant	✓		Early Spring	Yellow	3-6 ft.	Sun	Dry, Average
<i>Rhus copallinum</i>	Winged Sumac	✓		Late Summer	Yellow-		Sun	Dry
<i>Rhus typhina</i>	Staghorn Sumac	✓		Early Summer	Yellow-		Sun, Part Shade, Shade	Dry
<i>Rosa virginiana</i>	Rose, pasture	✓		Summer	Pink	3-6 ft.	Sun, Part Shade	Dry, Average
<i>Salix discolor</i>	Pussy Willow	✓		Early Spring	White,	6-12 ft.	Sun, Part Shade	Average, Wet
<i>Sambucus nigra ssp.</i>	American Elder	✓		Summer	White	6-12 ft.	Sun	Wet
<i>Sassafras albidum</i>	Sassafras	✓		Spring	Yellow	36-72 ft.	Sun	Dry, Average
<i>Spiraea alba var. latifolia</i>	Meadow-sweet	✓		Summer	White	3-6 ft.	Sun, Part Shade	Dry, Average, Wet
<i>Tilia americana var. americana</i>	Basswood	✓		Late Spring	White		Sun, Part Shade, Shade	Dry, Moist
<i>Vaccinium corymbosum</i>	Highbush Blueberry			Late Spring	White		Sun	Average, Wet
<i>Vaccinium macrocarpon</i>	Cranberry	✓		Summer	Pink	0-1 ft.	Part Shade	Wet
<i>Viburnum dentatum</i>	Southern Arrowwood	✓		Late Spring	Cream	6-12 ft.	Sun, Part Shade	Average, Wet
<i>Viburnum nudum</i>	Possum-haw Viburnum	✓		Summer	White	6-12 ft.	Sun	Average
<i>Viburnum prunifolium</i>	Viburnum, blackhaw	✓		Summer	White	12-36 ft.	Sun, Part Shade	Dry, Average

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.