

Plant Sale Catalog

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
Bog Plant								
<i>Spiranthes odorata</i>	Marsh Ladies'-Tresses			Late Summer	White		Part Shade	Average, Wet
Fern or Lower Plant								
<i>Adiantum pedatum</i>	Northern Maidenhair Fern	✓		NA	NA	1-3 ft.	Shade	Average, Wet
<i>Asplenium platyneuron</i>	Ebony Spleenwort, Fern	✓		NA	NA		Part Shade, Shade	Moist
<i>Athyrium filix-femina</i>	Lady Fern	✓		NA	NA	1-3 ft.	Shade	Average
<i>Diplazium pycnocarpon</i>	Glade Fern	✓		NA	NA	1-3 ft.	Part Shade, Shade	Moist
<i>Dryopteris sp.</i>	Wood Fern			NA	NA		Part Shade, Shade	Moist
<i>Onoclea sensibilis</i>	Sensitive Fern	✓		NA	NA	1-3 ft.	Sun	Average, Wet
<i>Osmunda regalis</i>	Royal Fern	✓		NA	NA	1-3 ft.	Part Shade	Wet
<i>Osmundastrum cinnamomeum</i>	Cinnamon	✓		NA	NA	3-6 ft.	Shade	Wet
<i>Polystichum acrostichoides</i>	Christmas	✓		NA	NA	1-3 ft.	Shade	Dry, Average
<i>Pteridium aquilinum</i>	Bracken , Fern	✓		NA	NA		Part Shade, Shade	Dry, Average, Wet
Grass, Sedge or Rush								
<i>Carex pensylvanica</i>	Sedge, Pennsylvania	✓		Spring	Insignificant	0-1 ft.	Part Shade, Shade	Dry, Average
<i>Carex plantaginea</i>	Sedge, plantain; seersucker	✓		Early Spring	Insignificant	0-1 ft.	Shade	Average, Wet
<i>Carex platyphylla</i>	Sedge, broad-leaf	✓		NA	Insignificant	0-1 ft.	Sun, Part Shade	Average
<i>Chasmanthium latifolium</i>	Sea-oats; River-oats	✓		Late Summer	Insignificant	1-3 ft.	Sun, Part Shade	Average
<i>Schizachyrium scoparium</i>	Little Bluestem	✓		Late Summer	Insignificant	3-6 ft.	Sun	Dry, Average
<i>Sporobolus heterolepis</i>	Dropseed, prairie	✓		Late Summer	Insignificant	1-3 ft.	Sun	Dry, Average

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
Herbaceous Plant								
<i>Agastache foeniculum</i>	Hyssop, anise			Late Summer	Blue	3-6 ft.	Part Shade	Average
<i>Ageratina altissima</i>	Snakeroot, white	✓		Late Summer	White	1-3 ft.	Sun, Part Shade	Average, Wet
<i>Amsonia tabernaemontana var.</i>	Eastern Bluestar			Late Spring	Blue		Sun	Dry, Average
<i>Anemone canadensis</i>	Canada anemone	✓		Late Spring	White	1-3 ft.	Sun, Part Shade, Shade	Dry, Average, Wet
<i>Antennaria neglecta</i>	Pussytoes, field	✓		Spring	White	0-1 ft.	Sun	Dry, Average
<i>Aquilegia canadensis</i>	Eastern Columbine	✓		Spring	Red	1-3 ft.	Sun, Part Shade	Dry, Average
<i>Asclepias incarnata</i>	Swamp Milkweed	✓		Late Summer	Pink	1-3 ft.	Sun	Average, Wet
<i>Asclepias tuberosa</i>	Butterfly-weed	✓		Summer	Orange	1-3 ft.	Sun	Dry, Average
<i>Baptisia australis</i>	Indigo, blue false	✓		Late Spring	Blue	3-6 ft.	Sun	Average
<i>Blephilia ciliata</i>	Wood-mint, downy	✓		Summer	Purple	1-3 ft.	Part Shade, Shade	Dry
<i>Boltonia asteroides</i>	Boltonia, aster-like	✓		Late Summer	White	3-6 ft.	Sun	Moist, Wet
<i>Cardamine diphylla</i>	Two-Leaved Toothwort	✓		Late Summer	White	1-3 ft.	Sun, Part Shade	Average
<i>Chelone glabra</i>	Turtlehead	✓		Late Summer	White	1-3 ft.	Sun, Part Shade	Wet
<i>Chrysogonum virginianum</i>	Green-and-gold; Goldenstar	✓		Late Spring	Yellow	0-1 ft.	Sun, Part Shade, Shade	Average
<i>Conoclinium coelestinum</i>	Mistflower	✓		Late Summer	Blue	1-3 ft.	Sun, Part Shade	Average, Wet
<i>Coreopsis lanceolata</i>	Lance-leaved coreopsis			Late Spring	Yellow		Sun, Part Shade	Dry, Average
<i>Coreopsis tripteris</i>	Tickseed, tall	✓		Late Summer	Yellow	6-12 ft.	Sun	Average
<i>Coreopsis verticillata Cultivar</i>	Whorled Coreopsis			Summer	Yellow	1-3 ft.	Sun	Dry, Average
<i>Delphinium exaltatum</i>	Larkspur, tall	✓		Summer	Blue	3-6 ft.	Part Shade	Average
<i>Echinacea purpurea</i>	Purple Coneflower			Summer	Purple	1-3 ft.	Sun	Average
<i>Elephantopus carolinianus</i>	Elephant's-foot	✓		Late Summer	Blue	1-3 ft.	Sun, Part Shade	Average
<i>Eupatorium perfoliatum</i>	Boneset	✓		Summer	White	3-6 ft.	Sun	Wet
<i>Eupatorium sessilifolium</i>	Upland Boneset	✓		Summer	White	3-6 ft.	Part Shade	Dry
<i>Eurybia divaricata</i>	White Wood Aster	✓		Late Summer	White	1-3 ft.	Part Shade, Shade	Dry, Average
<i>Eurybia macrophylla</i>	Aster, large-leaved; bigleaf	✓		Late Summer	Purple	1-3 ft.	Sun, Part Shade	Average
<i>Fragaria virginiana</i>	Wild Strawberry			Late Spring	White	0-1 ft.	Sun, Part Shade	Dry

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Gentiana andrewsii</i>	Bottle Gentian	✓		Late Summer	Blue	1-3 ft.	Part Shade, Shade	Moist, Wet
<i>Geranium maculatum</i>	Wood Geranium	✓		Spring	Pink	1-3 ft.	Sun, Part Shade, Shade	Average
<i>Goodyera pubescens</i>	Plantain, downy rattlesnake	✓		Late Summer	White	1-3 ft.	Part Shade, Shade	Average
<i>Helenium autumnale</i>	Sneezeweed	✓		Late Summer	Yellow	1-3 ft.	Sun, Part Shade	Average
<i>Helianthus hirsutus</i>	Hairy Sunflower	✓		Fall	Yellow		Sun, Part Shade	Average, Moist
<i>Heliopsis helianthoides</i>	Sunflower, false	✓		Summer	Yellow	3-6 ft.	Sun, Part Shade	Dry, Average
<i>Heuchera americana</i>	Alum-root	✓		Spring	Green	1-3 ft.	Sun, Part Shade	Dry, Average
<i>Hibiscus moscheutos</i>	Swamp Rose-mallow	✓		Summer	Pink	3-6 ft.	Sun	Wet
<i>Hypericum ascyron ssp.</i>	St. John's-wort, great	✓		Summer	Yellow	6-12 ft.	Sun	Moist
<i>Iris prismatica</i>	Blue flag, slender	✓		Late Spring	Blue	1-3 ft.	Sun	Wet
<i>Iris versicolor</i>	Blue flag, northern	✓		Spring	Blue	1-3 ft.	Sun	Wet
<i>Lespedeza capitata</i>	Round-Headed Bush-Clover	✓		Summer	White		Sun	Dry
<i>Liatris scariosa</i>	Northern Blazing-star	✓		Late Summer	Purple	1-3 ft.	Sun	Average
<i>Liatris spicata</i>	Dense Blazing-star	✓		Summer	Purple	1-3 ft.	Sun	Average, Wet
<i>Lobelia cardinalis</i>	Cardinal-flower	✓		Summer	Red	1-3 ft.	Sun, Part Shade, Shade	Wet
<i>Lobelia siphilitica</i>	Lobelia, great blue	✓		Summer	Blue	1-3 ft.	Sun, Part Shade, Shade	Average, Wet
<i>Lysimachia ciliata</i>	Fringed Loosestrife	✓		Summer	Yellow	Herbace	Part Shade, Shade	Moist, Wet
<i>Lysimachia lanceolata</i>	Lanceleaf loosestrife	✓		Summer	Yellow	1-3 ft.	Sun	Moist, Wet
<i>Meehania cordata</i>	Meehania, heart-leaved	✓		Summer	Purple	0-1 ft.	Part Shade	Average
<i>Monarda didyma</i>	Bee-balm	✓		Summer	Red	3-6 ft.	Sun	Average
<i>Monarda fistulosa</i>	Wild Bergomot	✓		Summer	Purple	1-3 ft.	Sun	Average
<i>Monarda media</i>	Purple bergamot	✓		Summer	Purple	3-6 ft.	Sun, Part Shade	Average
<i>Monarda punctata</i>	Spotted Horsemint	✓		Late Summer	Yellow	1-3 ft.	Sun, Part Shade	Dry, Average
<i>Oclemena nemoralis</i>	Leafy Bog Aster	✓		Summer	Blue-	Herbace	Sun	Wet
<i>Pachysandra procumbens</i>	Allegheny-spurge			Spring	Pink	0-1 ft.	Part Shade, Shade	Average, Wet
<i>Packera aurea</i>	Golden Ragwort	✓		Spring	Yellow	1-3 ft.	Sun, Part Shade	Average, Wet
<i>Packera obovata</i>	Round-Leaved Ragwort	✓		Spring	Yellow	1-3 ft.	Part Shade, Shade	Average, Moist

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Penstemon digitalis</i>	Beard-tongue, foxglove	✓		Summer	White	1-3 ft.	Sun	Dry, Average
<i>Phlox carolina</i>	Phlox			Summer	Pink	1-3 ft.	Sun, Part Shade	Moist, Wet
<i>Phlox divaricata</i>	Wood Phlox	✓		Early Spring	Purple	1-3 ft.	Part Shade, Shade	Average
<i>Phlox maculata</i>	Phlox, meadow	✓		Summer	Purple	1-3 ft.	Sun, Part Shade	Moist
<i>Phlox paniculata</i>	Summer Phlox	✓		Summer	Pink	3-6 ft.	Partial Shade, Sun	Average
<i>Phlox stolonifera</i> Cultivar	Creeping Phlox			Spring	White,	0-1 ft.	Partial Shade, Shade	Average, Moist
<i>Physostegia virginiana</i>	Obedient-plant	✓		Summer	White	1-3 ft.	Sun	Dry, Average
<i>Polemonium reptans</i>	Jacob's-ladder, spreading	✓		Spring	Blue	1-3 ft.	Part Shade, Shade	Average
<i>Pycnanthemum incanum</i>	Hoary Mountain Mint	✓		Summer	White	3-6 ft.	Sun	Dry, Average
<i>Pycnanthemum muticum</i>	Short-toothed Mountain Mint	✓		Summer	White	3-6 ft.	Sun	Dry, Average, Wet
<i>Pycnanthemum tenuifolium</i>	Narrow-leaved Mountain Mint	✓		Summer	White	1-3 ft.	Sun, Part Shade	Dry, Average
<i>Pycnanthemum virginianum</i>	Mountain-mint, Virginia	✓		Summer	White	1-3 ft.	Sun, Part Shade	Average
<i>Ranunculus hispidus</i> var.	Bristly Buttercup	✓		Spring	Yellow		Part Shade	Average
<i>Rudbeckia fulgida</i> var. <i>fulgida</i>	Coneflower, orange	✓		Late Summer	Orange	1-3 ft.	Sun	Dry, Average
<i>Rudbeckia laciniata</i>	Cutleaf Coneflower	✓		Late Summer	Yellow	3-6 ft.	Sun	Average, Wet
<i>Rudbeckia triloba</i>	Three-lobed Coneflower	✓		Late Summer	Yellow	1-3 ft.	Sun	Dry, Average
<i>Salvia lyrata</i>	Sage, lyre-leaved	✓		Late Spring	Blue	1-3 ft.	Part Shade	Average
<i>Scutellaria incana</i>	Skullcap, downy	✓		Late Summer	Blue	1-3 ft.	Sun, Part Shade	Dry, Average
<i>Sedum ternatum</i> Cultivar	Wild Stonecrop			Spring	White	0-1 ft.	Partial Shade	Average, Moist
<i>Silene caroliniana</i>	Catchfly, sticky; Wild pink	✓		Spring	Pink	0-1 ft.	Sun	Dry, Average
<i>Silphium perfoliatum</i>	Cup-plant	✓		Summer	Yellow	6-12 ft.	Sun	Average
<i>Silphium trifoliatum</i>	Whorled Rosinweed	✓		Summer	Yellow	3-6 ft.	Sun	Average
<i>Solidago arguta</i>	Forest Goldenrod	✓		Late Summer,	Yellow		Part Shade	Dry, Average
<i>Solidago canadensis</i>	Canada Goldenrod	✓		Fall	Yellow		Sun	Average
<i>Solidago nemoralis</i>	Goldenrod, gray	✓		Summer	Yellow	1-3 ft.	Sun, Part Shade, Shade	Dry, Average
<i>Solidago odora</i>	Goldenrod, sweet	✓		Late Summer	Yellow	1-3 ft.	Sun, Part Shade	Dry, Average
<i>Solidago rigida</i>	Goldenrod, stiff	✓		Late Summer	Yellow	3-6 ft.	Sun	Dry, Moist

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Solidago rugosa</i> Cultivar	Wrinkle -Leaf Goldenrod			Late Summer		3-6 ft.	Partial Shade, Sun	Average
<i>Solidago speciosa</i>	Goldenrod, showy	✓		Late Summer	Yellow	3-6 ft.	Sun	Average
<i>Spigelia marilandica</i>	Pinkroot; Wormgrass			Spring	Red	0-1 ft.	Part Shade, Shade	Average, Moist
<i>Stylophorum diphyllum</i>	Wood Poppy	✓		Spring	Yellow	1-3 ft.	Part Shade	Average
<i>Symphotrichum cordifolium</i>	Aster, blue wood	✓		Late Summer	Blue	1-3 ft.	Part Shade, Shade	Dry, Average
<i>Symphotrichum ericoides</i>	Aster, white heath	✓		Late Summer	White	1-3 ft.	Sun	Dry, Average
<i>Symphotrichum laeve</i>	Smooth Blue Aster	✓		Late Summer	Purple	3-6 ft.	Sun	Dry, Average
<i>Symphotrichum lanceolatum</i>	Panicled Aster, Tall-White	✓		Early Fall	White		Sun	Moist
<i>Symphotrichum novae-angliae</i>	Aster, New England	✓		Late Summer	Purple	3-6 ft.	Sun	Average, Wet
<i>Symphotrichum novi-belgii</i>	Aster, New York	✓		Late Summer	Blue	1-3 ft.	Sun	Average, Wet
<i>Symphotrichum oblongifolium</i>	Aromatic Aster	✓		Late Summer	Purple	1-3 ft.	Sun	Dry, Average
<i>Tiarella cordifolia</i>	Foamflower	✓		Spring	White	0-1 ft.	Part Shade, Shade	Moist
<i>Tradescantia ohiensis</i>	Spiderwort, Ohio	✓		Summer	Purple	1-3 ft.	Sun	Moist
<i>Vernonia noveboracensis</i>	Ironweed, New York	✓		Late Summer	Purple	3-6 ft.	Sun	Average, Wet
<i>Veronicastrum virginicum</i>	Culver's-root	✓		Late Summer	White	3-6 ft.	Sun, Part Shade	Average, Wet
<i>Viola pedata</i>	Violet, birdfoot	✓		Spring	Purple	0-1 ft.	Part Shade	Dry
<i>Waldsteinia fragarioides</i>	Strawberry, barren	✓		Spring	Yellow	0-1 ft.	Part Shade	Average
<i>Yucca filamentosa</i>	Adam's Needle			Summer	White	4-8 ft.	Sun	Dry, Average
<i>Zizia aurea</i>	Golden-alexander	✓		Spring	Yellow	1-3 ft.	Sun, Part Shade	Average, Wet

Vine

<i>Campsis radicans</i>	Trumpet-creeper; Trumpet-	✓		Summer	Orange	Vine	Sun	Dry, Average
<i>Clematis virginiana</i>	Virgin's bower	✓		Late Summer	White	Vine	Part Shade	Average, Wet

Woody Plant

<i>Aesculus glabra</i>	Ohio Buckeye	✓		Spring	Yellow-		Sun, Part Shade, Shade	Moist
<i>Amelanchier canadensis</i>	Shadbush; Juneberry	✓		Spring	White	12-36 ft.	Sun, Part Shade	Dry, Average, Wet
<i>Amelanchier laevis</i>	Shadbush, smooth	✓		Spring	White	12-36 ft.	Sun, Part Shade	Dry, Average, Wet

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Aronia arbutifolia</i>	Red Chokeberry	✓		Spring	White	6-12 ft.	Sun	Dry, Average, Wet
<i>Aronia melanocarpa</i>	Black Chokeberry	✓		Spring	White	6-12 ft.	Sun	Dry, Average, Wet
<i>Asimina triloba</i>	Pawpaw	✓		Spring	Brown	12-36 ft.	Sun, Part Shade	Average, Wet
<i>Betula alleghaniensis</i>	Yellow Birch	✓		Spring	Insignificant	72-100	Partial Shade, Sun	Average, Wet
<i>Betula nigra</i>	Birch, river	✓		Spring	Green	36-72 ft.	Sun	Average, Wet
<i>Calycanthus floridus</i>	Carolina Allspice; Sweetshrub			Spring	Maroon	6-12 ft.	Sun	Average
<i>Ceanothus americanus</i>	Tea, New Jersey	✓		Summer	White	1-3 ft.	Sun	Dry
<i>Celtis occidentalis</i>	Hackberry	✓		Spring	Green	>100 ft.	Sun, Part Shade	Dry, Average
<i>Cephalanthus occidentalis</i>	Buttonbush	✓		Late Summer	White	6-12 ft.	Sun	Wet
<i>Cercis canadensis</i>	Redbud	✓		Spring	Pink	12-36 ft.	Sun, Part Shade	Average, Wet
<i>Clethra alnifolia</i>	Pepperbush, sweet	✓		Summer	White	6-12 ft.	Sun, Part Shade	Average, Wet
<i>Comptonia peregrina</i>	Sweet-fern	✓		Spring	Green	3-6 ft.	Sun	Dry, Average
<i>Cornus amomum</i>	Silky dogwood	✓		Early Summer	White	6-12 ft.	Sun, Part Shade	Moist, Wet
<i>Cornus florida</i>	Flowering Dogwood	✓		Spring	White	12-36 ft.	Sun, Part Shade, Shade	Moist
<i>Cornus racemosa</i>	Gray Dogwood	✓		Late Spring	White	6-12 ft.	Sun, Part Shade, Shade	Moist
<i>Cornus sericea</i>	Red-Osier Dogwood	✓		Late Spring	White	6-12 ft.	Part Shade	Moist
<i>Diospyros virginiana</i>	Persimmon	✓		Late Spring	White	36-72 ft.	Sun	Average
<i>Hamamelis virginiana</i>	Witchhazel	✓		Autumn	Yellow	12-36 ft.	Sun, Part Shade	Average, Wet
<i>Hydrangea arborescens</i>	Hydrangea, wild	✓		Summer	White	3-6 ft.	Part Shade, Shade	Average
<i>Ilex glabra</i>	Inkberry	✓		Summer	White	3-6 ft.	Sun	Dry, Average, Wet
<i>Ilex glabra Cultivar</i>	Inkberry			Summer	White		Partial Shade, Sun	Average, Wet
<i>Ilex opaca</i>	Holly, American	✓		Late Spring	Cream	12-36 ft.	Sun, Part Shade	Average
<i>Ilex verticillata Cultivar</i>	Winterberry			Summer	White		Sun, Part Shade	Moist, Wet
<i>Itea virginica</i>	Sweetspire, Virginia	✓		Summer	White	3-6 ft.	Sun, Part Shade	Average
<i>Juniperus virginiana</i>	Cedar, red	✓		NA	Insignificant	12-36 ft.	Sun	Dry, Average
<i>Kalmia latifolia</i>	Laurel, mountain	✓		Late Spring	White	3-6 ft.	Sun, Part Shade	Dry, Average
<i>Lindera benzoin</i>	Spicebush	✓		Spring	Yellow	6-12 ft.	Part Shade, Shade	Average, Wet

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Liriodendron tulipifera</i>	Tuliptree, Yellow Poplar	✓		Early Summer	Yellow	72-100	Sun	Average
<i>Maclura pomifera</i>	Osage-Orange			Late Spring	Insignificant		Sun, Part Shade	Dry, Average
<i>Magnolia virginiana</i>	Sweetbay Magnolia	✓		Late Spring	White	12-36 ft.	Sun	Moist, Wet
<i>Morella pensylvanica</i>	Bayberry	✓		Spring	Yellow	6-12 ft.	Sun	Average
<i>Nyssa sylvatica</i>	Black gum; Tupelo	✓		Spring	White	36-72 ft.	Sun, Part Shade, Shade	Average, Wet
<i>Ostrya virginiana</i>	Hop-hornbeam	✓		Spring	Green	12-36 ft.	Sun, Part Shade	Average
<i>Oxydendrum arboreum</i>	Sourwood	✓		Summer	White	12-36 ft.	Sun, Part Shade	Average, Wet
<i>Physocarpus opulifolius</i>	Ninebark	✓		Late Spring	White	6-12 ft.	Sun, Part Shade	Dry, Average
<i>Pinus rigida</i>	Pitch Pine	✓		Spring	NA	Woody	Sun	Dry
<i>Platanus occidentalis</i>	Sycamore	✓		Spring	Green	72-100	Sun	Average, Wet
<i>Quercus bicolor</i>	Oak, swamp white	✓		Spring	Green	72-100	Sun	Average, Wet
<i>Quercus montana</i>	Oak, chestnut	✓		Early Spring	Green	>100 ft.	Part Shade	Dry
<i>Rhododendron calendulaceum</i>	Flame Azalea	✓		Summer	Orange	6-12 ft.	Sun, Part Shade	Average
<i>Rhododendron maximum</i>	Rosebay	✓		Summer	White	6-12 ft.	Shade	Dry, Average, Wet
<i>Rhododendron periclymenoides</i>	Pinxter-flower Azalea	✓		Spring	Pink	6-12 ft.	Sun, Part Shade, Shade	Average
<i>Rhododendron viscosum</i>	Azalea, swamp	✓		Summer	White	6-12 ft.	Sun, Part Shade	Average, Wet
<i>Rhus aromatica Cultivar</i>	Fragrant Sumac 'Gro-low'			Spring	Yellow		Sun, Part Shade	Dry, Average
<i>Rosa virginiana</i>	Rose, pasture	✓		Summer	Pink	3-6 ft.	Sun, Part Shade	Dry, Average
<i>Rubus occidentalis</i>	Black Raspberry	✓		Late Spring	White		Sun, Part Shade, Shade	Dry, Moist
<i>Salix discolor</i>	Pussy Willow	✓		Early Spring	White,	6-12 ft.	Sun, Part Shade	Average, Wet
<i>Sambucus nigra ssp.</i>	American Elder	✓		Summer	White	6-12 ft.	Sun	Wet
<i>Sassafras albidum</i>	Sassafras	✓		Spring	Yellow	36-72 ft.	Sun	Dry, Average
<i>Spiraea alba var. latifolia</i>	Meadow-sweet	✓		Summer	White	3-6 ft.	Sun, Part Shade	Dry, Average, Wet
<i>Tilia americana var. americana</i>	Basswood	✓		Late Spring	White		Sun, Part Shade, Shade	Dry, Moist
<i>Vaccinium angustifolium</i>	Low Sweet Blueberry	✓		Late Spring	White	1-3 ft.	Sun, Part Shade, Shade	Dry, Average
<i>Vaccinium corymbosum</i>	Highbush Blueberry			Late Spring	White		Sun	Average, Wet
<i>Vaccinium macrocarpon</i>	Cranberry	✓		Summer	Pink	0-1 ft.	Part Shade	Wet

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.

Scientific Name	Common name	PA Native	Coming Soon	Flowering Season	Color	Height	Exposure	Soil Moisture
<i>Viburnum dentatum</i>	Southern Arrowwood	✓		Late Spring	Cream	6-12 ft.	Sun, Part Shade	Average, Wet
<i>Viburnum nudum</i>	Possum-haw Viburnum	✓		Summer	White	6-12 ft.	Sun	Average
<i>Viburnum opulus var.</i>	Highbush Cranberry	✓		Spring	White	6-12 ft.	Sun	Average, Wet
<i>Viburnum prunifolium</i>	Viburnum, blackhaw	✓		Summer	White	12-36 ft.	Sun, Part Shade	Dry, Average

The proceeds of our plant sales are cycled back into our propagation program. This enables us to both fund our informative educational programs and supports one of our primary missions—enhancing the biodiversity of our local ecosystem by placing more native plants in gardens like yours.